# Figure 1, pg 37 of Ostebee/Zorn



# Talk with the people around you for a minute



The derivative of f is positive at x = 2.5

- (a) True, and I can explain why
- (b) True, but I am unsure why
- (c) False, and I can explain why
- (d) False, but I am unsure why

(e) Ummmm ...

# Talk with the people around you for a minute



The derivative of f is negative at x = -3

- (a) True, and I can explain why
- (b) True, but I am unsure why
- (c) False, and I can explain why
- (d) False, but I am unsure why

(e) Ummmm ...

# Talk with the people around you for a minute



f' is zero three times on  $-4 \leq x \leq 4$ 

- (a) True, and I can explain why
- (b) True, but I am unsure why
- (c) False, and I can explain why
- (d) False, but I am unsure why

(e) Ummmm ...

#### The graph of y = g(x) is show below



- 1. For which x-values is g'(x) = 0?
- 2. On what intervals (of x) is g(x) increasing? decreasing?
- 3. Use this information to sketch a graph of y = g'(x)

# The graph of y = h'(x) is shown below.



Graph of y = h'(x)

4. Where is *h*(*x*) increasing? decreasing?

This is NOT the graph of h(x)!

- 5. Sketch the graph of y = h(x)
- 6. Is the second derivative of h(x) positive or negative at x = 2?
- 7. If j(x) = h(x) + 3, how is the graph of y = j'(x) related to the graph of y = h'(x)?